



220020119646



中国认可  
国际互认  
检测  
TESTING  
CNAS L0128



W02394230122E

# 检测报告

## Test Report



Nozg5kBG

产品名称: **Shallow Base (8-inch)+Cover Plate**  
 Name of Sample

型号规格: **SB-08-C+CP-08**  
 Type

委托单位: **Airsafe Airport Equipment Co.,Ltd.**  
 Applicant

检测类别: **Entrusted Tests**  
 Test Purpose


国家电光源质量监督检验中心（上海）  
 National Center of Inspection and Testing on Electric Light Source Quality(Shanghai)  
 国家灯具质量监督检验中心  
 China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)  
 上海市质量监督检验技术研究院  
 Shanghai Institute of Quality Inspection and Technical Research



# 上海市质量监督检验技术研究院

## 检测报告

报告编号: W02394230122E  
共 6 页第 1 页

Name of Sample	Shallow Base (8-inch)+Cover Plate		Test Purpose	Entrusted Tests
Type	SB-08-C+CP-08		Trade Mark	Airsafe
Grade	Qualified products			
Applicant	Airsafe Airport Equipment Co.,Ltd.			
Tested Company	Airsafe Airport Equipment Co.,Ltd.			
Producer	Airsafe Airport Equipment Co.,Ltd.			
Number of Client	W02394230122E	Entrusting/Sampling Date	2023/5/15	
Reception Date	2023/5/15	Sampling Spot	/	
Sample Quantity	1psc	Sum of Sample	/	
Date of Production	/	Original Number	/	
Situation of Sample	Intact <span style="float: right;">Sent by client</span>			
Testing Place	No.900 Jiangyue Rd, Shanghai			
Test Standard	FFAA AC 150/5345-46E Specification for runway and taxiway light fixtures IEC TS 61827:2004 Electrical installations for lighting and beaconing of aerodromes Characteristics of inset and elevated luminaires used on aerodromes and heliports AC-137-CA-2015-03-R1 Technical Specification for Runway and Taxiway Lights AC-137-CA-2015-04-R1 Testing Specification for Runway and Taxiway Lights GB/T 7256.1-2022 Lighting fixtures for civil airport-Part I: General requirements			
Date of Testing	2023/5/15 to 2023/6/13			
Conclusion	The test report only offers a single testing conclusion; See the details on the page of summary. <div style="text-align: right; margin-top: 10px;">                       (Test Report Judge)                      Issued Date: 2023年06月14日                      检验检测专用章                      ZM                 </div>			
Client's Message	Add.	205 Changchuan Road, Baoshan District, Shanghai, China		
	Zip Code	200949	Tel.	021-63073484
Remarks	The test report only offers the conclusions for the tested items according to the relevant testing standards and / or judgments which are not included the conclusions of the untested items or performances. The test report has two versions, one in Chinese, the other in English. The Chinese one is in priority.			

Approved by: 张璐  
授权签字人

张璐

Checked by:

王晔

Tested by:

何欣

Describing of unstandard method:  
-

Explanation of method deviated off standard & other information:  
-

Explanation about the sampling procedure:  
-

Evaluation of the uncertainty of related result:  
-

State of sample feature:Shallow base diameter is 220mm. Height is 150mm.



Remarks:

"P" means the test results meet the requirements, "F" means the test results do not meet the requirements, "N" and "-" means the requirements do not apply to the product, "/" means the test is not conducted or no content.

This is the translation document of Chinese test report W02394230122. The test report in Chinese is the formal document.

# 检测报告

Summary of test results					
No.	Item	Requirement	Result	Judgement of Single Item	Remark
1	Static load	<p>IEC TS 61827:2004 Electrical installations for lighting and beaconing of aerodromes - Characteristics of inset and elevated luminaires used on aerodromes and heliports:</p> <p>A static load test shall be performed on the complete inset luminaire installed on the smallest support structure as installed. The test load shall be applied to the top part of the test assembly through a rubber block of a diameter at least 25 mm less than the outside diameter of the luminaire assembly. The thickness of the rubber block shall be between 25 mm to 40 mm and have a Shore A hardness of 55-70. The total load in kilograms to be applied shall be 32 times the area in cm<sup>2</sup> of the luminaire. The load shall be applied uniformly over the rubber at a rate not greater than 4536 kg/min, the full load shall be applied for at least 1 min. The test luminaire shall be considered unsatisfactory if there is any permanent deformation, cracking of material or finish, breaking, or damage to any part of the luminaire.</p> <p>FAA AC 150/5345-46E Specification for runway and taxiway light fixtures:</p> <p>When installed per the manufacturer's recommendations, the light fixture (and its adapter ring, if required) must withstand a static loading (in pounds/kilograms) of 450 times the top area of the light fixture (in square inches) distributed uniformly over the top surface.</p> <p>AC-137-CA-2015-03-R1 Specification for runway and taxiway light fixtures</p> <p>AC-137-CA-2015-04-R1 Test specification for runway and taxiway light fixtures</p> <p>GB/T 7256.1-2022 Lighting fixtures for civil airport-Part 1:General requirements:</p> <p>Inset luminaire in normal working condition should be able to withstand the pressure and impact of large aircraft tires without damage. The luminaire should be able to withstand a static load of 31.7kg/cm<sup>2</sup> distributed evenly over the upper surface of the luminaire in normal working condition. The luminaire should not break when the luminaire is damaged</p>	<p>diameter: 203mm Load P: 100343N 1min No deformation or damage</p>	P	/



# 检测报告

Summary of test results					
No.	Item	Requirement	Result	Judgement of Single Item	Remark
2	Shear load	<p>IEC TS 61827:2004 Electrical installations for lighting and beaconing of aerodromes - Characteristics of inset and elevated luminaires used on aerodromes and heliports: This test is to simulate the shearing load applied to the top of any inset luminaire by a braking aircraft tire. A bar of sufficient length to extend beyond the fixture shall be welded to the top of the luminaire so it is parallel to the runway centreline when the luminaire is installed. The ends of the bar shall extend beyond the edges of the luminaire to facilitate loading. The luminaire, attached to a standard mounting interface and torqued to manufacturer's specifications, shall be installed in a sufficient anti-rotation device. A force of 13,5 kN shall be applied axially to the end of the bar. The force shall be applied and released 20 times. Any structural damage, movement of any part, or loosening of fasteners shall be cause for rejection.</p> <p>FAA AC 150/5345-46E Specification for runway and taxiway light fixtures: The light fixture must withstand a shear load of 3,000 pounds (1,360.78 kg) applied to the top of the light in any direction parallel to the mounting surface.</p> <p>AC-137-CA-2015-03-R1 Specification for runway and taxiway light fixtures AC-137-CA-2015-04-R1 Test specification for runway and taxiway light fixtures GB/T 7256.1-2022 Lighting fixtures for civil airport-Part 1:General requirements: The whole of the inset luminaire mounted on the runway should be able to withstand a shear force of 1361 kg applied to the top of the luminaire in any direction parallel to the mounting surface.</p>	No damage, movement of any part and no loosening of fasteners.	P	/



# 检测报告

Summary of test results					
No.	Item	Requirement	Result	Judgement of Single Item	Remark
3	Watertightness	<p>IEC TS 61827:2004 Electrical installations for lighting and beaconing of aerodromes - Characteristics of inset and elevated luminaires used on aerodromes and heliports:</p> <p>Prior to performing this test, the wire leads shall be subjected to a tension of either 14 kg or the weight of the fixture, whichever is greater, for 5 min to test the integrity of the seal where the leads enter the luminaire. The entire luminaire shall then be submerged in water at least 76 mm below the surface, subjected to an internal air pressure of 140 kPa and maintained for a period of 10 min. Any leakage shall be reason for rejection.</p> <p>FAA AC 150/5345-46E Specification for runway and taxiway light fixtures:</p> <p>Components containing optical components, including bulbs, should be resistant to water leakage and infiltration above and below the luminaire.</p> <p>AC-137-CA-2015-03-R1 Specification for runway and taxiway light fixtures AC-137-CA-2015-04-R1 Test specification for runway and taxiway light fixtures GB/T 7256.1-2022 Lighting fixtures for civil airport-Part 1:General requirements:</p> <p>Components containing optical components in inset luminaires, including lamps, should be able to prevent water penetration. Optical components should be able to withstand an internal pressure of 138 kPa</p>	Base has not leakage.	P	Sample without luminaire

合格  
专

Anex 1 Photos

Static load



Shear load



Blank below



## 注 意 事 项

### Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。

The report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。

The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 3、报告无主检/编制、审核、批准人签名无效。

The report is valid with signature of major inspector, reviewer and approver.

- 4、报告涂改无效。

The report is invalid with any alteration or falsification.

## 授权国家质检中心名称

### National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心

National Center of Quality Inspection and Testing on Consumer Goods

- 2、国家家具质量检验检测中心

National Center of Quality Inspection and Testing on Furniture

- 3、国家建筑材料及装饰装修材料质量检验检测中心

National Center of Quality Inspection and Testing on Building and Decoration Materials

- 4、国家智能电网分布式电源装备质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)

- 5、国家电器能效与安全质量检验检测中心

National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance

- 6、国家食品质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Food Products (Shanghai)

- 7、国家保洁产品质量检验检测中心

National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products

- 8、国家电光源质量检验检测中心（上海）

National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)

- 9、国家灯具质量检验检测中心

China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

## 声 明

### Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.

- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。

Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.

- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。

For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.

- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。

Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.

- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。

Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.



# 上海市质量监督检验技术研究院所属单位一览表

## Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research (SQI)

- 1 食品化学产品质量检验所(代码SP)/ 国家食品质量检验检测中心(上海)/ 国家保洁产品质量检验检测中心/ 上海市食品质量监督检验站  
Institute of Quality Inspection of Food and Chemicals (SQI\_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Food Products  
地址:上海市徐汇区苍梧路381号 邮编: 200233  
电话: 021-54263362 传真: 021-54265730  
Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233  
Tel: 021-54263362 Fax: 021-54265730  
地址:上海市奉贤区平庄西路3086号(日化产品) 邮编: 201499  
电话: 021-57493107 传真: 021-57493162  
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products) 邮编: 201499  
Post: 201499 传真: 021-57493107  
E-mail: shihuas@sqi.org.cn Tel: 021-57493107
- 2 上海时代之光照明电器检测有限公司(代码ZM)/ 国家电光源质量检验检测中心(上海)/ 国家灯具质量检验检测中心/ 国家轻工业灯具质量监督检测中心/ 上海市照明产品质量监督检验站  
Shanghai Alpha Lighting Equipment Testing Ltd. (SQI\_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industrial Luminaries / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products  
地址: 上海市闵行区江月路900号2号楼 邮编: 201114  
电话: 021-54336162, 54336173, 54336181, 54336227 传真: 021-54337200  
Address: 2<sup>nd</sup> Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336162, 54336173, 54336181, 54336227 Fax: 021-54337200  
E-mail: salt@sqi.org.cn, salt@saltnet.com.cn, sdzg@sqi.org.cn
- 3 机电产品质量检验所(代码JD)/上海市机电产品质量监督检验站  
Institute of Quality Inspection of Mechanical and Electronic Products(SQI\_JD)/ Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products  
地址: 上海市静安区万荣路918号 邮编: 200072  
电话: 021-56035307, 56652534 传真: 021-56652624  
Address: No.918, Wanrong Rd., Jing' an District, Shanghai Post: 200072  
Tel: 021-56035307, 56652534 Fax: 021-56652624  
E-mail: jds@sqi.org.cn
- 4 轻工与化工产品产品质量检验所(代码QG、HG)/国家日用消费品质量检验检测中心/ 上海市轻工产品质量监督检验站/ 上海市化工产品质量监督检验站  
Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI\_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products  
地址: 上海市闵行区江月路900号3号楼 邮编: 201114  
电话: 021-54336172, 54336175 传真: 021-54336175  
Address: 3rd Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336172, 54336175 Fax: 021-54336175  
地址: 上海市奉贤区平庄西路3086号 邮编: 201499  
电话: 021-54336172, 54336175 传真: 021-54336175  
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai Post: 201499  
Tel: 021-54336172, 54336175 Fax: 021-54336175  
E-mail: qgs@sqi.org.cn, qingggong@sqi.org.cn
- 5 建材家居装饰装修质量检验所(代码JC)/ 国家家具质量检验检测中心/ 国家轻工业家具质量监督检测中心/ 国家轻工业建筑五金质量监督检测中心/ 国家建筑材料及装饰装修材料质量检验检测中心/ 上海市建筑材料及装饰装修材料质量监督检验站/ 上海市室内装饰装修质量监督检验站  
Institute of Quality Inspection of Building Materials and Decoration Materials (SQI\_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration  
地址: 上海市闵行区江月路900号5号楼 邮编: 201114  
电话: 021-54336170, 54336225 传真: 021-54336170  
Address: 5th Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336170, 54336225 Fax: 021-54336170  
地址: 上海市奉贤区平庄西路3086号 邮编: 201499  
电话: 021-57493115 传真: 021-57493162  
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai Post: 201499  
Tel: 021-57493115 Fax: 021-57493162  
E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn
- 6 电子电器家用电器质量检验所(代码DZ、DQ)/ 国家电器能效与安全质量检验检测中心/ 国家智能电网分布式电源装备质量检验检测中心(上海)/ 上海市电子电器家用电器质量监督检验站  
Institute of Quality Inspection of Electronics and Household Appliances (SQI\_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance/ National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances  
地址: 上海市闵行区江月路900号4号楼 邮编: 201114  
电话: 021-54336322; 64336605 传真: 021-64313348  
E-mail: dzs@sqi.org.cn  
Address: 4th Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336322, 64336605 Fax: 021-64313348  
E-mail: dzs@sqi.org.cn  
地址: 上海市徐汇区苍梧路381号 邮编: 200233  
电话: 021-54263097, 64336605 传真: 021-64850806  
Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233  
Tel: 021-54263097, 64336605 Fax: 021-64850806  
E-mail: dqs@sqi.org.cn
- 7 计量检测所(代码JL)  
Institute of Metrology Inspection(SQI\_JL)  
地址: 上海市闵行区江月路900号5号楼 邮编: 201114  
电话: 021-54336149, 54336148 传真: 021-62892960  
Address: 5th Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336149, 54336148  
地址: 上海市徐汇区永嘉路627号 邮编: 200031  
电话: 021-64372125 传真: 021-64372135  
Address: No.627 Yongjia Rd., Xuhui District, Shanghai Post: 201114  
Tel: 021-64372125 Fax: 021-64372135  
E-mail: jls@sqi.org.cn
- 8 纤维检验所(代码XW)/ 国家日用消费品质量检验检测中心/ 上海市纺织纤维质量监督检验站  
Institute of Fiber Inspection (SQI\_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber  
地址: 上海市长乐路1228号 邮编: 200040  
电话: 021-62495465 传真: 021-62481025  
Address: No.1228, Changle Rd., Shanghai Post: 200040  
Tel: 021-62495465 Fax: 021-62481025  
E-mail: xws@sqi.org.cn